

March Target List (Coma Bernices)

Object	Description	Magnitude
NGC 4565	Spiral Galaxy	9.6
M64	Spiral Galaxy	8.5
M85	Spiral Galaxy	9.1
M100	Spiral Galaxy	9.4
M53	Globular Cluster	7.6
Mel 111	Open Cluster	1.8





About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars. They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation - A defined area of the sky containing a star pattern.

Diffuse Nebula - A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic - The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy - A mass of up to several billion stars held together by gravity.

Globular Star Cluster - A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year. **Magnitude** – The brightness of a celestial object as it appears in the sky.

Open Star Cluster - A group of tens or hundreds of relatively young stars.

Opposition - When a celestial body is opposite the Sun in the sky.

Planetary Nebula - The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. USA Eastern Standard Time (for example, New York) is 5 hours behind UT.

Variable Star - A star that changes brightness over a period of time.

NORTHERN HEMISPHERE March 2014

Easily Seen with the Naked Eye

	Capella	Aur	•	The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly.
	Arcturus	Boo	•	Orange, giant K star. Name means "bear watcher". Dist=36.7 ly.
	Sirius	CMa	•	The brightest star in the sky. Also known as the "Dog Star". Dist=8.6 ly.
2	Procyon	CMi	•	Greek name meaning "before the dog" - rises before Sirius (northern latitudes). Dist=11.4 l
	δ Cephei	Cep	Θ,	Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion.
	Castor	Gem		Multiple star system with 6 components. 3 stars visible in telescope. Dist=52 ly.
	Pollux	Gem	•	With Castor, the twin sons of Leda in classical mythology. Dist=34 ly.
	Regulus	Leo	•	Brightest star in Leo. A blue-white star with at least 1 companion. Dist=77 ly.
	Rigel	0ri	•	The brightest star in Orion. Blue supergiant star with mag 7 companion. Dist=770 ly.
	Betelgeuse	0ri	٠	One of the largest red supergiant stars known. Diameter=300 times that of Sun. Dist=430 ly
	Algol	Per		Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days.
	Pleiades	Tau	o	The Seven Sisters. Spectacular cluster. Many more stars visible in binoculars. Dist=399 ly.
	Hyades	Tau	o	Large V-shaped star cluster. Binoculars reveal many more stars. Dist=152 ly.
	Aldebaran	Tau	•	Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly.
١	Polaris	UMi	•	The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433 ly.

Easily Seen with Binoculars

Aur	ο . ο .	The Andromeda Galaxy. Most distant object visible to naked eye. Dist=2.5 million ly. Stars appear arranged in "pi" or cross shape. Dist=4,300 ly. About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly. Very fine star cluster. Discovered by Messier in 1764. Dist=4,400 ly.
Aur Aur	ο ο	About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly.
Aur	Ó	
		Very fine star cluster. Discovered by Messier in 1764. Dist=4 400 ly.
Cnc	de.	
	S.F	Praesepe or Beehive Cluster. Visible to the naked eye. Dist=590±20 ly.
CVn	⊕	Easy to find in binoculars. Might be glimpsed with the naked eye.
CMa :	ò	First recorded observation by Aristotle in 325 BC as "cloudy spot". Dist=2,300 ly.
Com	ō.	Coma Berenices. 80 mag 5-6 stars in 5 deg. Dist=288 ly. Age=400 million years.
Gem	ō.	Fine open cluster located near foot of the twin Castor. Dist=2,800 ly.
Hya :	ō.	12+ stars in 7x binoculars. Triangular asterism near centre. Dist=1,990 ly.
Lep		Visible with binoculars. Gold & white stars. Mags 3.6 & 6.2. Dist=30 ly. Sep=96.3".
Mon	ò .	A large scattered star cluster of 20 stars. Dist=1,300 ly.
Mon	ò .	Surrounded by the rather faint Rosette Nebula. Dist=5,540 ly.
Mon	ò	Visible with binoculars. Telescope reveals individual stars. Dist=3,000 ly.
Ori :	ò	Lambda Orionis Cluster. Dist=1,630 ly.
Ori (The Great Orion Nebula. Spectacular bright nebula. Best in telescope. Dist=1,300 light years.
Per	Ó	Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly.
Pup :	ō.	Bright star cluster. 15+ stars in 7x binoculars. Dist=1,500 ly.
Pup	ō.	Dist=5,400 ly. Contains planetary NGC 2438 (Mag 11, d=65*) - not associated.
UMa		Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion.
	CMa Com Gem Hya Lep Mon Mon Ori Ori Per Pup Pup	CMa O Com O Gem O Hya O Lep Mon O Mon O Dri O Dri O Per O Pup O

Telescopic Objects

	rerescop	iic c	, w	ects
	y Andromedae	And		Attractive double star. Bright orange star with mag 5 blue companion. Sep=9.8".
	y Arietis	Ari	•	Impressive looking double blue-white star. Visible in a small telescope. Sep=7.8".
	ε Boötis	Boo		Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split.
	M67	Cnc	Ó	Contains 500+ stars mag 10 & fainter. One of the oldest clusters. Dist=2,350 ly.
	M94	CVn	0	Compact nearly face-on spiral galaxy. Dist=15 million ly.
	M51	CVn	0	Whirlpool Galaxy. First recognised to have spiral structure. Dist=25 million ly.
	η Cassiopeiae	Cas		Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12".
	M64	Com	0	Black-Eye Galaxy. Discovered by J.E. Bode in 1775 - "a small, nebulous star".
	3242	Hya	+	Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly.
	y Leonis	Leo		Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4*.
	β Monocerotis	Mon		Triple star. Mags 4.6, 5.0 & 5.4. Requires telescope to view arc-shape. Sep=7.3".
	2264	Mon	o	Christmas Tree Cluster, Associated with the Cone Nebula, Dist=2,450 ly.
	σ Orionis	0ri		Superb multiple star. 2 mag 7 stars one side, mag 9 star on other. Struve 761 triple in field.
V	k Puppis	Pup		Telescope easily shows two blue-white stars of almost equal brightness. Sep=9.9".
	M1	Tau		Crab Nebula. Remnant from supernova which was visible in 1054. Dist=6,500 ly.
	M81	UMa	0	Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope.
	M82	UMa	0	Close to M81 but much fainter and smaller.
	y Virginis	Vir		Superb pair of mag 3.5 yellow-white stars. Orbit=169 years. At their closest in 2005.

The Evening Sky Map (ISSN 1839-7735) Copyright © 2000-2014 Kym Thalassoudis. All Rights Reserved.

LESTIAL OBJEC



Atlanta Astronomy Club Membership Form

CHARLIE ELLIOTT CHAPTER

(Please PRINT Clearly in BLOCK Letters)

Name:		
Address:		
Address:		
City:		State: ZIP -
Home Phone:		Day Phone:
E-mail:		
Additional Family Members:		
		Name As to appear on Badge:
		Name As to appear on Badge:
		Name As to appear on Badge:
		Name As to appear on Badge:
Family/Single Membership	(S30)	
Student Membership	(S15)	
Online Newsletter	(\$ 0)	
Sky & Telescope Magazine	(\$33)	Do you currently subscribe? Yes No
Astronomy Magazine	(\$34)	Do you currently subscribe? Yes No
(Please note magazine prices are	subject to	(Please note magazine prices are subject to change, please check website or contact Treasurer if in doubt.)
Badges (Num each)	(Number x \$1)	(One Badge is included membership. Additional badges are One doll
Total		
Remember to download our	rmonthly	Remember to download our monthly newsletter, The Focal Point, from the club's website.
NEW! We accept	t PayPal p	We accept PayPal payments. Pay online by check or credit card.
Check made payable to "The	Atlanta As	Check made payable to "The Atlanta Astronomy Club"; mail along with form to address below
PayPal: go to www.PayPal please type exactly as written.). T	. com and p	PayPal: go to www.PayPal.com and post payment to AACDues@AtlantaAstronomy.org (Note, this is case sensitive - please type exactly as written.). Then e-mail membership form to Treasurer@AtlantaAstronomy.org

(WEB DOC - 02.24.2014 - CEA)

ATLANTA GA 30358-1155

Or mail it to:

Atlanta Astronomy Club, Inc.

PO BOX 76155

www.ceastronomy.org

į	DO YOU OWIL A KNOW DE INO 165 1 Y DE OLES
္	Are you looking for assistance in choosing a telescope?
4.	If you do own a telescope, would you like assistance with using it?
5.	Which aspects of the Atlanta Astronomy Club and astronomy are you most interested in: (Check as many as you wish.)
	□ social
	□ meetings
	□ observing
	□ astrophotography/imaging
	- computing
	□ speaker program
	□ having access to professional quality equipment
	□ Amateur Telescoping Making (ATM)
	□ Sidewalk Astronomy
	□ other
6.	Do you have any special skills/job/occupation that might benefit the club:
7.	Would you volunteer for committee work?
,00	Questions or Comments:

www.ceastronomy.org

CHARLIE ELLIOTT CHAPTER